EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41529	((time or period$8) near5 ((data or information or address or list) near3 (available access$7 present$5 obtain$5))) same · (DNS proxy DHCP database table stor$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:43
L2	11559	((time or period) near5 ((data or information or address) near3 (available access$7 present$5 obtain$5))) same (DNS proxy DHCP database server)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:45
L3	920	2.ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:44
L4	30	2.ab. and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:44
L5	633	((time or period) near5 ((data or information or address) near3 (available present$5 obtain$5))) same (DNS proxy DHCP database server) same (profile condition$7)	US-PGPUB; USPAT; JPO; IBM_TDB .	OR	ON	2007/05/22 08:52
L6	116	5.bsum.´	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:48
L7	47	5.ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:46
L8	2	5.bsum. and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:48
L9	4076	((time or period) near3 ((data or information or address) near3 (available obtain$5))) same (DNS proxy DHCP database server)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:53
L10	56	((time or period) near3 ((data or information or address) near3 (available obtain$5))) same (DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 08:54

L11	5	((time or period) near3 (available obtain$5)) same (DNS) same profile	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 09:08
L12	53	(wireless same (DNS proxy) same (dynamic near3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/22 09:49
S1	1	"20020138622"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 09:14
S2	1	"6185204".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 09:24
S3	236	370/349.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 09:25
S4	228	370/475.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 07:39
S5	76	370/349.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:52
S6	12	370/475.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 09:27
S7	2	"20020116523"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 09:33
S8	2	370/349.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab. and daemon$7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:48

S9	2	370/475.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab. and daemon$7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:49
S10	9	"370"/$.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab. and daemon$7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:49
S11	9	370/349.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab. and ((dynamic near3 (address or id or identif$7)).bsum. or (dynamic near3 (address or id or identif$7)).ab.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:53
S12	1	370/475.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab. and ((dynamic near3 (address or id or identif$7)).bsum. or (dynamic near3 (address or id or identif$7)).ab.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:56
S13	2	370/254.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab. and (wireless or mobil$2 or radio or cellular or portable or cordless).ab. and ((dynamic near3 (address or id or identif$7)).bsum. or (dynamic near3 (address or id or identif$7)).ab.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 11:57
S14	123	"370"/$.ccls. and ((((notif$7 send$3 sent transmi$7 forward$3) near7 (address id identif$7)) near5 (server or database)) with dynamic$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 12:01

S15	42	"370"/$.ccls. and ((((notif$7 send$3 sent transmi$7 forward$3) near7 (address id identif$7)) near5 (server or database)) with dynamic$5).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 12:01
S16	595	(NAT (network adj address adj translat$4)) with (public and private)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 12:09
S17	146	S16 and (dynamic near3 address)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 12:12
S18	79	S17 and (((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (address id identif$7)) with (terminal station device CPE MS MT UE node))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 12:16
S19	60	S17 and (((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (address id identif$7)) with (terminal station device CPE MS MT UE node)) and (wireless mobil$2 radio cellular portable cordless)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 12:17
S20	69	S17 and (((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (address id identif$7)) with (terminal station device CPE MS MT UE node user)) and (wireless mobil$2 radio cellular portable cordless)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 13:34
S21	69	S17 and (((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (address id identif$7)) with (terminal station device CPE MS MT UE node user subscriber)) and (wireless mobil$2 radio cellular portable cordless)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/18 14:56
S22	228	370/475.ccls. and ((stor$4 or database or table or memory or server) near7 (address or id or identif$7 or profile)).ab.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 07:39
S23	63	S22 and ((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (address id identif$7)). bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 07:40

S24	183	(DHCP or DNS or proxy) and ((name adj2 server) with ((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (address id identif$7))).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 09:46
S25	104	S24 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 09:43
S26	7	(DHCP or DNS or proxy) and ((name adj2 server) with ((notif$7 send$3 sent transmi$7 forward$3 announc$3) near7 (dynamic$4 near2 (address id identif$7)))). bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 09:47
S27	179	(DHCP or DNS or proxy) and ((name adj2 server) with ((notif$7 send$3 sent transmi$7 forward$3 announc$3 advertis$6) near7 (address id identif$7))).bsum. not S26	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 09:46
S28	4	(DHCP or DNS or proxy) and ((name adj2 server) with ((notif$7 send$3 sent transmi$7 forward$3 announc$6 advertis$6) near7 (dynamic$4 near2 (address id identif$7)))).bsum. not S25	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 09:49
S29	3	((name adj2 server) with ((notif$7 send$3 sent transmi$7 forward$3 announc$6 advertis$6) near7 (dynamic$4 near2 (address id identif$7)))).bsum. not S28	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 09:49
S30	4	((name adj2 server) with ((notif$7 send$3 sent transmi$7 forward$3 announc$6 advertis$6 broadcast$5) near7 (dynamic$4 near2 (address id identif$7)))). bsum. not S29	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 10:26
S31	4	((name adj2 (server database table list)) with ((notif$7 send$3 sent transmi$7 forward$3 announc$6 advertis$6 broadcast$5) near7 (dynamic$4 near2 (address id identif$7)))). bsum. not S29	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 10:29
S32	120	((name adj2 (server database table list)) with (dynamic$4 near2 (address id identif$7)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 10:30

EAST Search History

S33	30	((name adj2 (server database table list)) with (dynamic$4 near2 (address id identif$7))).bsum.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 10:31
S34	70	S32 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 10:30
S35	15	S33 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 10:31
S36	2	("6529517" "6434600").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 12:50
S37	2	("6529517" "6243749").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 12:47
S38	1	"20020105954"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 13:14
S39	36	(dynamic$5 near4 (name adj2 server)) near5 (updat$3 or chang$3 or add$3 or maintain$3 or stor$4 or sav$4)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/05/21 15:17